

A note on "A Matrix Realignment Method for Recognizing Entanglement," quant-ph/0205017 v1

Oliver Rudolph *

*Quantum Optics & Information Group, Istituto Nazionale per la Fisica della Materia & Dipartimento
di Fisica "A. Volta", Universita di Pavia, via Bassi 6, I-27100 Pavia, Italy*

In [1] Chen, Wu and Yang formulated a necessary separability criterion based on a realignment method for matrices. This note is to point out that this criterion is identical to the necessary cross norm criterion put forward in [2]. The cross norm criterion in [2] is based on a canonical isomorphism between Hilbert-Schmidt operators acting on $\mathbb{C}^n \otimes \mathbb{C}^n$ and Hilbert-Schmidt operators mapping $\mathbb{C}^{n^2}$ into itself. The matrix realignment method proposed in [1] is this canonical isomorphism. Therefore the criteria formulated in [1] and [2] and subsequent results, including examples, are identical. Moreover, from the formulation of the criterion given in [2] the statement of Proposition 1 in [1] follows as an immediate corollary and it is also immediately obvious that the dual criterion formulated in Theorem 2 in [1] is equivalent to the original criterion.

-
- [1] K. Chen, L.-A. Wu and L. Yang, A Matrix Realignment Method for Recognizing Entanglement, quant-ph/0205017 v1.
[2] O. Rudolph, Further results on the cross norm criterion for separability, quant-ph/0202121 v1.

*email: rudolph@fisicavolta.unipv.it